|717/117 |717/118 |717/119).ccls.

| L39 | ((entity adj bean) with (("no" or without) near (data or attribute))) | 0 | L39 |
| L38 | ((entity adj bean) with (("no" or without) adj (data or attribute))) | 0 | L38 |
| L37 | ((ejb or bean) near transparen$2) | 15 | L37 |
| L36 | (((invocation or invok$3) near bean) with (key or identifier)) | 3 | L36 |
| L35 | (("does adj not") near Map$4) | 0 | L35 |
| L34 | ((ejb or bean) with ("does adj not") near Map$4) | 0 | L34 |
| L33 | (execut$3 near (business or functional) near (method or logic) with functional) | 8 | L33 |
| L32 | bean and L31 | 24 | L32 |
| L31 | trouble near ticket | 587 | L31 |
| L30 | ((bean or ejb) with map$4 near (row or record)) | 1 | L30 |
| L29 | ((bean or ejb) near map$4 near (row or record)) | 0 | L29 |
| L28 | (("does adj not") near map$4 near(row or record)) | 0 | L28 |
| L27 | (("does adj not") near map$4 (row or record)) | 1648362 | L27 |
| L26 | (no adj data) near (ejb or bean) | 2 | L26 |
| L25 | (without adj data) near (ejb or bean) | 0 | L25 |
| L24 | functional near (ejb or bean) | 23 | L24 |
| L23 | functional near (jb or bean) | 24 | L23 |
| L22 | ((updat$3 or delet$3) near account with (business or functional) near (method or logic)) | 1 | L22 |
| L21 | ((updat$3 or delet$3) near account with functional) | 1 | L21 |
| L20 | (709/201 |709/202 |709/203 |709/204 |709/205 |709/206 |709/207 |709/208 |709/209 |709/210 |709/211 |709/212 |709/213 |709/214 |709/215 |709/216 |709/217 |709/218 |709/219 |709/220 |709/221 |709/222 |709/223 |709/224 |709/225 |709/226 |709/227 |709/228 |709/229 |709/230 |709/231 |709/232 |709/233 |709/234 |709/235 |709/236 |709/237 |709/238 |709/239 |709/240 |709/241 |709/242 |709/243 |709/244 |709/245 |709/246 |709/247 |709/248 |709/249 |709/250).ccls. | 32738 | L20 |
| L19 | (719/315 |719/316 |719/328).ccls. | 1889 | L19 |
| L18 | (707/1 |707/2 |707/3 |707/4 |707/5 |707/6 |707/7 |707/8 |707/9 |707/10 |707/100 |707/101 |707/102 |707/103R |707/103Y |707/103X |707/103Z |707/104.1).ccls. | 21372 | L18 |
| L17 | business adj (method or function) near code | 5 | L17 |
| L16 | L13 and L14 | 14 | L16 |
| L15 | L13 and L14 | 14 | L15 |
| L14 | return$5 near (pointer or handle or reference) | 13822 | L14 |
| L13 | (ejb or bean) and limited adj resources | 79 | L13 |
| L12 | bean with limited adj resources | 0 | L12 |
| L11 | @pd<2000720 and L10 | 0 | L11 |
| L10 | L8 and L9 | 97 | L10 |
| L9 | bean or ejb | 113145 | L9 |
| L8 | ((invocat$3 or invok$4) near direct$2) | 946 | L8 |
| L7 | return$5 near (pointer or handle or reference) with functional | 23 | L7 |
| L6 | 6629128.pn. | 2 | L6 |

| L5 | return$5 near (pointer or handle or reference) with bean | 9 | L5 |
| L4 | model$5 near business adj function | 10 | L4 |
| L3 | bean and L2 | 20 | L3 |
| L2 | map$4 near ((function or procedure) and object) | 477 | L2 |
| L1 | map$4 near ((function or procedure) and object) with resources | 0 | L1 |

END OF SEARCH HISTORY